



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/707,732	01/07/2004	Yuichi Hikichi	1042-1P	5074

27668 7590 07/09/2004

GODBey GRIFFITHS REISS
1001 BISHOP STREET
2300 PAUAAHI TOWER
HONOLULU, HI 96813

EXAMINER

SNOW, BRUCE EDWARD

ART UNIT	PAPER NUMBER
----------	--------------

3738

DATE MAILED: 07/09/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

yw

Office Action Summary	Application No.	Applicant(s)	
	10/707,732	HIKICHI, YUICHI	
	Examiner	Art Unit	
	Bruce E Snow	3738	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-10 is/are pending in the application.
 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-3 and 5-10 is/are rejected.
- 7) ☒ Claim(s) 4 is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|--|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>1/7/04; 3/8/04</u> | 6) <input type="checkbox"/> Other: ____ |

8

DETAILED ACTION

Claim Rejections - 35 USC § 102

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3, 5-7, and 9 are rejected under 35 U.S.C. 102(b) as being anticipated by Petrofsky et al (6,113,642).

Petrofsky et al teaches an above-knee prosthesis having a knee joint demonstrating variable resistance comprising a thigh frame assembly 6 that receives a thigh stump, a leg frame assembly 5 with foot attached, a hinge 9 interconnecting said thigh frame and leg frame assemblies to form an artificial knee joint, a closed hydraulic system 2 further interconnecting said thigh frame and leg frame assemblies above and below said hinge to provide resistance to the flexion or extension of said artificial knee joint, a means to vary the resistance 32 provided by said closed hydraulic system, and a means to translate the AP movement of said thigh stump into the degree of resistance provided by said closed hydraulic system including any of the position sensors shown such as 18, 204, 302, computer etc. It is noted that the thigh frame assembly rotates which inherently includes an AP component.

Flow rate control valve, see element 32.

Regarding claim 3, linkage mechanism does not mean it has to be a mechanical linkage. The electronic control and wiring of the control valve is the "linkage mechanism".

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 8 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Petrofsky et al (6,113,642).

Petrofsky et al teaches the prosthesis as described above. Applicant teaches varying embodiments with varying elements and/or position of elements. Lacking any criticality in the specification, the use of the hydraulic system outside the thigh and leg frame produces an advantage over that taught by Petrofsky et al and is considered an obvious matter of design choice to one skilled in the art.

Lacking any criticality in the specification, the claimed location of the flow rate control valve produces no advantage and is considered an obvious matter of design choice to one skilled in the art.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 6 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Art Unit: 3738

Claim 6 should depend from claim 5 not 4.

Claim Objection

Regarding claim 1, spell out AP in the first occurrence.

Allowable Subject Matter

Claim 4 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bruce E Snow whose telephone number is (703) 308-3255. The examiner can normally be reached on Mon-Thurs.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on (703)308-2111. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

bes

A handwritten signature in black ink, appearing to be 'B. Snow', with a stylized, cursive script.

**BRUCE SNOW
PRIMARY EXAMINER**